

Příloha č. 1
k nařízení Pardubického kraje č. 1/2014

**Seznam souřadnic (S-JTSK) jednotlivých vrcholů geometrických obrazců, tvořících
hranici přírodní rezervace Anenské údolí**

Číslo bodu	Y	X	Třída přesnosti
1	632518.46	1083263.23	8
2	632534.22	1083262.91	8
3	632539.70	1083262.59	8
4	632588.62	1083270.90	8
5	632595.83	1083266.32	8
6	632619.95	1083245.99	8
7	632638.97	1083227.09	8
8	632660.69	1083205.20	8
9	632688.82	1083182.09	8
10	632859.49	1083048.68	8
11	632952.01	1082982.29	8
12	632925.78	1082955.27	8
13	632961.08	1082917.79	8
14	632977.52	1082932.02	8
15	632985.33	1082948.36	8
16	632988.36	1082954.70	8
17	633037.06	1082901.12	8
18	633032.57	1082896.86	8
19	633020.03	1082884.97	8
20	633057.84	1082849.23	8
21	633099.47	1082814.14	8
22	632966.26	1082791.55	8
23	632981.05	1082794.53	8
24	632954.40	1082809.83	8
25	632946.52	1082801.33	8
36	633905.24	1082367.42	8
37	633907.23	1082393.98	8
38	633784.01	1082402.09	8
39	633766.43	1082390.27	8
40	633722.79	1082390.80	8
41	633763.49	1082658.13	8
42	633780.49	1082700.99	8
43	633782.01	1082707.05	8
44	633788.80	1082735.95	8
45	633789.40	1082726.60	8
46	633795.89	1082690.89	8
47	633817.78	1082679.09	8
48	633845.99	1082665.05	8

Číslo bodu	Y	X	Třída přesnosti
49	633883.99	1082649.04	8
50	633930.73	1082633.74	8
51	633939.44	1082636.27	8
52	633957.71	1082632.38	8
53	633966.59	1082619.49	8
54	633976.02	1082614.50	8
55	633986.16	1082610.52	8
56	634052.57	1082609.43	8
57	634053.19	1082604.79	8
58	634053.31	1082601.35	8
59	634079.69	1082596.33	8
60	634093.21	1082605.47	8
61	634108.39	1082605.24	8
62	634122.89	1082583.89	8
63	634143.12	1082579.32	8
64	634160.86	1082584.76	8
65	634170.28	1082583.08	8
66	634197.76	1082568.61	8
67	634221.19	1082568.03	8
68	634526.66	1082435.34	8
69	634538.34	1082444.80	8
70	634547.09	1082472.81	8
71	634548.74	1082399.42	8
72	634555.53	1082380.21	8
73	634579.13	1082349.39	8
74	634587.99	1082332.10	8
75	634563.36	1082264.45	8
76	634564.86	1082257.18	8
77	634603.63	1082253.58	8
78	634616.49	1082267.11	8
79	634618.00	1082269.14	8
80	634636.96	1082240.61	8
81	634638.19	1082221.53	8
82	634640.82	1082209.33	8
83	634645.30	1082184.24	8
84	634641.15	1082149.89	8
85	634640.59	1082104.68	8
86	634605.12	1082008.47	8
87	634602.06	1082019.76	8
88	634600.56	1082027.99	8
89	634599.15	1082035.82	8
90	634594.78	1082000.25	8
91	634595.21	1081979.18	8

Číslo bodu	Y	X	Třída přesnosti
92	634595.41	1081968.64	8
93	634596.00	1081937.44	8
94	634595.33	1081922.28	8
95	634590.82	1081911.91	8
59001540628	634222.72	1080388.42	8
59001540634	634219.96	1080424.21	8
59001540636	634219.50	1080381.28	8
59001540640	634217.13	1080706.96	8
59001540646	634213.65	1080868.02	8
59001540647	634213.63	1080813.48	8
59001540659	634204.78	1080381.95	8
59001540670	634197.76	1080523.81	8
59001540730	634163.01	1080286.10	8
59001540757	634153.15	1080251.09	8
59001540783	634145.66	1080254.22	8
59001540785	634144.72	1080236.33	8
59001540816	634136.73	1080240.77	8
59001540972	634105.72	1080209.07	8
59001540973	634105.71	1080877.56	8
59001541069	634094.66	1080222.35	8
59001541096	634087.76	1080306.16	8
59001541103	634086.58	1080882.71	8
59001541211	634070.28	1080310.35	8
59001541215	634069.89	1080278.00	8
59001541239	634067.39	1080278.65	8
59001541248	634066.05	1080272.98	8
59001541319	634056.48	1080214.57	8
59001541330	634055.04	1080217.71	8
59001541350	634052.57	1080887.03	8
59001541364	634049.94	1080195.68	8
59001541429	634035.49	1080318.70	8
59001541446	634031.30	1080319.68	8
59001541652	633990.88	1080329.40	8
59001541663	633988.98	1080905.77	8
59001541770	633965.20	1080911.56	8
59001541907	633937.97	1080452.99	8
59001541920	633935.27	1080401.16	8
59001541939	633930.14	1080350.40	8
59001541943	633929.57	1080482.53	8
59001541956	633927.31	1080506.93	8
59001541975	633920.96	1080631.83	8
59001541983	633919.40	1080561.55	8
59001541984	633919.36	1080921.85	8

Číslo bodu	Y	X	Třída přesnosti
59001541991	633918.19	1080918.61	8
59001541994	633917.66	1080657.41	8
59001542048	633906.19	1080697.67	8
59001542087	633896.73	1080725.90	8
59001542102	633887.59	1080854.17	8
59001542116	633880.85	1080802.09	8
59001542119	633880.04	1080817.65	8
124000410015	634326.40	1081505.16	8
124000420001	634505.82	1081752.03	8
124000420025	634256.68	1081058.68	8
124000420031	634431.40	1081655.43	8
124000420032	634412.21	1081650.47	8
124000440001	634476.20	1081682.16	8
124000440002	634337.59	1081532.50	8
124000440003	634332.72	1081522.00	8
124000440014	634339.89	1081540.19	8
124000440015	634400.42	1081606.10	8
124000440017	634374.39	1081577.75	8
124000440035	634321.12	1081448.37	8
124000440036	634325.74	1081497.08	8
124000440040	634326.73	1081510.58	8
124000440059	634280.40	1081131.28	3
124000450109	634538.45	1081792.41	8
124000450112	634536.66	1081793.97	8
124000450114	634534.98	1081795.43	8
124000450118	634521.31	1081776.97	8
124000450193	634436.37	1081662.44	8
124000450209	634422.99	1081652.62	8
124000450392	634318.63	1081434.23	8
124000450414	634311.70	1081356.97	8
124000450418	634310.86	1081335.79	8
124000450419	634310.10	1081372.14	8
124000450420	634309.86	1081323.58	8
124000450421	634309.72	1081375.74	8
124000450422	634309.45	1081382.16	8
124000450436	634302.95	1081277.75	8
124000450444	634298.99	1081220.66	8
124000450445	634298.72	1081224.62	8
124000450447	634298.59	1081246.42	8
124000450452	634293.58	1081197.43	8
124000450460	634285.74	1081163.77	8
124000450464	634281.49	1081131.17	8
124000450467	634279.81	1081129.06	8

Číslo bodu	Y	X	Třída přesnosti
124000450469	634278.58	1081128.37	8
124000450499	634255.82	1081049.32	8
124000450510	634253.52	1081055.29	8
124000450520	634244.12	1081015.20	8
124000450571	634227.99	1080951.40	8
124000450577	634225.94	1080920.84	8
124000450579	634225.37	1080915.52	8
124000450586	634223.41	1080897.12	8
174014200001	632559.01	1083269.38	8
174014200002	632565.12	1083284.05	8
174014200003	632579.94	1083283.15	8
174014200004	632743.40	1083137.75	8
174014200005	632749.35	1083150.07	8
174014200006	632782.47	1083126.70	3
174014200007	632808.79	1083107.41	3
174014200008	632830.31	1083088.74	3
174014200009	632866.14	1083058.95	8
174014200010	633826.49	1082393.65	8
174014200011	633826.05	1082398.01	8
174014200012	633829.47	1082421.27	8
174014200013	633828.62	1082425.20	8
174014200014	633911.15	1082641.41	8
174014200015	633920.45	1082634.88	8
174014200016	634225.58	1082551.38	8
174014200017	634221.06	1082536.12	3
174014200018	634255.00	1082505.39	3
174014200019	634276.32	1082492.40	3
174014200020	634282.94	1082479.70	3
174014200021	634309.54	1082466.41	3
174014200022	634340.54	1082447.25	3
174014200023	634362.56	1082432.26	3
174014200024	634404.62	1082405.65	3
174014200025	634432.32	1082391.12	3
174014200026	634473.25	1082362.74	3
174014200027	634477.95	1082359.48	8
174014200028	634599.88	1082261.98	8
174014200029	634602.75	1082262.37	8
174014200030	634626.14	1082280.08	8
174014200031	634631.78	1082280.81	8
174014200032	634641.37	1082174.08	8
174014200033	634639.80	1082162.25	8
174014200034	634595.10	1082021.34	8
174014200035	634592.49	1082012.01	8

Číslo bodu	Y	X	Třída přesnosti
174014201002	633809.53	1082418.63	8
174014201003	634555.20	1082304.00	8
174014201004	634593.56	1082310.04	8
198001160014	634104.58	1081001.73	8
198001160015	634097.50	1080978.42	8
198001160017	634100.63	1081003.58	8
198001160018	634099.43	1081001.02	8
198001160021	634110.69	1080995.84	3
198001390008	633928.81	1082365.59	8
198001390015	633972.66	1082363.94	8
198001390017	634036.30	1082353.01	8
198001390018	634068.02	1082346.75	8
198001390024	634030.24	1082354.05	8
198001460068	634258.97	1081813.58	8
198001500377	634141.73	1081031.61	3
198001500379	634150.12	1081037.57	4
198001500380	634151.24	1081039.92	4
198001500381	634137.89	1081046.31	3
198001500397	634146.24	1081072.29	8
198001500433	634149.70	1081111.69	8
198001510031	634401.34	1082011.19	8
198001510032	634401.14	1082002.85	8
198001510033	634398.74	1082117.62	8
198001510040	634382.14	1082194.51	8
198001510043	634375.15	1082219.02	8
198001510045	634368.59	1081932.34	8
198001510046	634365.50	1082233.89	8
198001510061	634345.92	1081897.49	8
198001510065	634339.71	1082256.33	8
198001510070	634333.35	1081881.16	8
198001510077	634324.34	1081871.55	8
198001510080	634322.39	1082266.67	8
198001510081	634321.97	1081869.02	8
198001510082	634321.38	1081868.20	8
198001510085	634315.33	1082269.44	8
198001510095	634306.86	1081847.91	8
198001510111	634289.37	1081829.79	8
198001510114	634287.05	1082280.55	8
198001510139	634251.41	1081811.43	8
198001510147	634242.16	1081808.80	8
198001510153	634238.03	1082293.64	8
198001510214	634209.67	1081783.49	8
198001510240	634198.75	1082306.04	8

Číslo bodu	Y	X	Třída přesnosti
198001510275	634187.99	1081752.30	8
198001510298	634175.03	1082311.95	8
198001510314	634160.24	1081712.38	8
198001510316	634158.76	1081197.29	8
198001510317	634156.40	1081239.19	8
198001510319	634155.30	1081164.58	8
198001510321	634152.52	1081247.90	8
198001510322	634150.81	1082319.92	8
198001510324	634148.95	1081023.79	8
198001510325	634146.86	1081035.83	8
198001510326	634146.13	1081008.78	8
198001510327	634143.90	1081060.08	8
198001510330	634142.96	1081033.19	8
198001510332	634141.72	1081004.18	8
198001510333	634141.60	1081025.13	8
198001510334	634140.72	1081297.45	8
198001510335	634140.54	1081324.59	8
198001510337	634139.51	1081026.97	8
198001510338	634138.84	1081286.26	8
198001510342	634136.21	1081270.68	8
198001510349	634133.30	1081435.78	8
198001510350	634133.06	1081456.97	8
198001510351	634132.74	1081484.16	8
198001510352	634132.64	1081493.13	8
198001510355	634132.02	1081416.84	8
198001510356	634130.07	1081506.75	8
198001510357	634129.87	1081535.85	8
198001510358	634129.74	1080998.00	8
198001510360	634129.61	1081645.52	8
198001510361	634129.31	1081554.44	8
198001510362	634129.16	1082328.98	8
198001510363	634129.09	1081373.60	8
198001510366	634127.33	1081521.23	8
198001510371	634125.21	1081589.85	8
198001510376	634123.78	1081257.99	8
198001510378	634123.21	1081622.10	8
198001510388	634116.80	1082331.42	8
198001510392	634112.68	1080993.75	8
198001510399	634104.46	1080901.72	8
198001510401	634102.53	1082334.24	8
198001510412	634094.71	1080955.66	8
198001510413	634093.95	1080934.11	8
198001510470	633994.58	1082361.30	8

Číslo bodu	Y	X	Třída přesnosti
198001510698	633759.50	1082650.45	8
198001510732	633737.88	1082590.91	8
198001510739	633734.45	1082581.46	8
198001510741	633732.59	1082577.71	8
198001510749	633729.76	1082573.82	8
198001510750	633729.01	1082449.10	8
198001510752	633728.14	1082454.50	8
198001510753	633728.12	1082441.86	8
198001510759	633726.38	1082427.59	8
198001510764	633725.59	1082500.50	8
198001510767	633724.85	1082488.39	8
198001510768	633724.79	1082569.22	8
198001510770	633724.25	1082478.59	8
198001510772	633723.51	1082568.57	8
198001510774	633722.59	1082566.49	8
198001510776	633721.59	1082411.62	8
198001510780	633720.71	1082395.15	8
198001510781	633720.66	1082396.46	8
198001510782	633720.27	1082407.23	8
198001510786	633717.94	1082555.91	8
198001510798	633712.44	1082554.64	8
198001510818	633702.26	1082552.47	8
198001510845	633688.87	1082543.06	8
198001510867	633678.86	1082532.01	8
198001510879	633676.80	1082508.44	8
198001510880	633676.59	1082521.12	8
198001511910	633329.79	1082627.78	8
198001511925	633321.57	1082608.46	8
198001511927	633319.89	1082582.26	8
198001511936	633315.41	1082575.12	8
198001511945	633309.33	1082600.71	8
198001511978	633287.26	1082571.31	8
198001511979	633286.10	1082592.40	8
198001511983	633284.67	1082574.53	8
198001511988	633281.45	1082677.48	8
198001511989	633281.13	1082601.01	8
198001511991	633279.48	1082581.19	8
198001511995	633277.72	1082587.44	8
198001512001	633274.51	1082668.46	8
198001512003	633273.88	1082596.59	8
198001512012	633270.68	1082594.64	8
198001512019	633266.01	1082657.53	8
198001512020	633265.07	1082603.24	8

Číslo bodu	Y	X	Třída přesnosti
198001512024	633261.05	1082607.86	8
198001512034	633255.89	1082613.18	8
198001512044	633245.75	1082675.43	8
198001512048	633243.44	1082623.71	8
198001512076	633213.82	1082708.49	8
198001512078	633211.71	1082650.08	8
198001512106	633181.08	1082676.77	8
198001512109	633179.35	1082743.73	8
198001512142	633165.25	1082689.33	8
198001512172	633148.76	1082702.62	8
198001512193	633137.12	1082709.50	8
198001512210	633125.91	1082715.56	8
198001512226	633117.27	1082719.66	8
198001512252	633100.10	1082808.34	8
198001512259	633097.67	1082727.35	8
198001512362	633041.48	1082749.69	8
198001512428	632995.85	1082767.07	8
198001512453	632967.49	1082777.87	8
198001512466	632959.16	1082780.77	8
198001512485	632948.15	1082784.61	8
198001512515	632927.94	1082796.53	8
198001512522	632924.01	1082801.82	8
198001512559	632903.94	1082849.56	8
198001512578	632891.49	1082875.82	8
198001512592	632882.42	1082894.46	8
198001512599	632875.81	1082902.21	8
198001512609	632868.23	1082913.92	8
198001540037	634049.15	1082350.47	8
198001540043	634000.46	1082360.10	8
234000960045	632542.00	1083226.50	3
234000960046	632523.30	1083196.18	3
234000960047	632522.06	1083194.16	8
234000970035	632851.43	1082932.16	8
234000970036	632837.87	1082947.19	8
234000970038	632834.67	1082949.74	8
234000970040	632822.95	1082958.33	8
234000970044	632805.28	1082967.00	8
234000970049	632786.87	1082975.04	8
234000970055	632767.78	1082983.16	8
234000970062	632753.44	1082991.49	8
234000970065	632750.87	1082992.95	8
234000970068	632748.90	1082994.60	8
234000970075	632735.41	1083005.87	8

Číslo bodu	Y	X	Třída přesnosti
234000970077	632730.34	1083013.76	8
234000970079	632723.34	1083025.04	8
234000970081	632717.74	1083037.41	8
234000970082	632713.07	1083046.54	8
234000970084	632701.68	1083062.67	8
234000970085	632697.58	1083068.49	8
234000970087	632688.95	1083078.67	8
234000970090	632674.72	1083092.38	8
234000970092	632659.94	1083105.48	8
234000970095	632643.57	1083118.01	8
234000970098	632610.16	1083141.00	8
234000970099	632599.81	1083148.06	8
234000970105	632549.18	1083247.62	8
234000970106	632545.37	1083182.18	8
234000970107	632527.11	1083191.55	8
234000970108	632521.97	1083261.06	8